

# **Composite Alternatives**









**Accomplish** a lower budget project in style with alternatives that cover, protect or stabilise buildings and grounds. These Composite Alternatives are engineered mainly by mixing a percentage of recycled wood and artificial materials to be more durable than other standard resources, for improved durability and resistance to weather conditions.




#### **Composite Decking**

The composite boards have the same look as normal wood without the need for staining...  $\label{eq:composite}$ 



#### **Composite Cladding**

There are multiple colours of Composite Cladding to choose from for architects, developers...



#### **Ground Protection Mats/Spoilboards**

Provide short and long-term access, for both small and large plant and machinery...



#### **Ground Reinforcement & Stabilisation**

Protect and sustain landscapes, driveways, siteworks and more when there is a potential of subsidence, reinforcement or stabilisation...

## **Cladco Composite Decking**

A more eco-friendly and low maintenance solution in comparison to standard wood. Cladco Composite Decking is manufactured from a wide variety of wood fibres and plastic with additives that strengthen the boards and an anti-UV agent to help resist colour fade.

## **Types**



Variety of colours



## **Specifications**

Width x Thickness	Lengths
150mm x 25mm	2.4m / 4m
Weight:	Solid 12.5Kg / 20.92Kg or Hollow 6.72Kg / 11.2Kg
Profiles:	60% recycled Hardwood fibres and 40% High grade recycled Polyethylene, bonding agent, additives and tint
Certified:	FSC®
Colours:	Teak, light grey, stone grey, coffee, charcoal, redwood, olive green and ivory

Please visit our website for specific sizes or contact us with your requirements, we can source a vast portfolio of profiles and sizes.



## **Properly sourced**

Our timber supplies are only from sustainable and reputable UK and European sources.



#### No minimum order

Order the quantities you need, no matter what the product or your project size.



## **Expert team**

You can count on us! We have a fantastic customer service to demonstrate when you contact us.










## **Elite Composite Decking**

Long lasting decking made from a variety of recycled materials.

Elite Composite Decking is a strong and resistant solution from splits, splinters, rot and fungal decay, the ideal choice for any commercial or residential spaces.

## **Types**





## **Specifications**

Width x Thickness	Lengths
150mm x 25mm	2.4m / 4m
Weight:	Solid 12.5Kg / 20.92Kg or Hollow 6.72Kg / 11.2Kg
Profiles:	60% recycled Hardwood fibres and 40% High grade recycled Polyethylene, bonding agent, additives and tint
Certified:	FSC®
Colours:	Charcoal, stone grey, light grey, ivory, redwood and olive green

Please visit our website for specific sizes or contact us with your requirements, we can source a vast portfolio of profiles and sizes.



## Standard delivery

Near or far, we can offer delivery options to dispatch your products within 2 - 5 working days.



## Same & next day

We have our own vehicles and work closely with couriers to dispatch your items fast.



## Collection

If you are near to our storage depot or want to travel to us, collect your items for free.

## **Composite Cladding**

Protect structural walls from ingress water and add an extra layer of insulation for the development of buildings.

Profiles are made from a mixture of wood and plastic composite for high-quality cladding to cover exterior walls and reduce structural and interior problems.

### **Types**





**Textured** 

Smooth



## **Specifications**

Size options	Width x Thickness	Lengths
Standard Large	180mm x 8mm 214mm x 11mm	3.6m 3.6m
Weight:	Standard 7.4Kg / Large 10.5Kg	
Material:	Composite	
Profiles:	Weatherboard with maximum flexibility to fit horizontally, vertically, ship-lapped or open jointed	
Certified:	BBA (Approval Inspection Testing Certification)	
Colours:	21 colours for standard boards / 4 colours for large boards	

Please visit our website for specific sizes or contact us with your requirements, we can source a vast portfolio of profiles and sizes.



an industrial construction



## **Civil Engineering**

Specific materials to complete a design plan



## Landscaping

Improve surrounding land with decorative structures



**Building** 

Long lasting, thermal, insulated or fire retardant items









## **DuraMatt Lite Ground Protection Board**

Ground Protection Board for surface cover and temporary access of light vehicles.

The DuraMatt Lite Ground Protection Board is a far more effective temporary surface/ spoilboard cover than plywood, which can commonly split and break. It can be reused or recycled again and again after each project.

## Sustainability







Long life

Store & Reuse

Withstand Temperatures

## Specifications

Width x Thickness	Lengths
1100mm x 10mm	2.4m
Weight:	32Kg
Tolerances:	Suggested 5 tonnes Weight tested up to 10 tonnes (depending on ground conditions)
Material:	100% recycled Low Density Polyethylene (LDPE) and 100% recyclable
Colours:	Grey as standard Other colours also available (subject to minimum order quantity)

Please contact us for specific sizes and your requirements, we can source alternative solutions and sizes.



## **UK** delivery

All areas of the UK are covered, as well as same or next day delivery available on many products.



## Bespoke products

Sometimes standard specifications won't suffice, so our bespoke service is specific to what you're looking for.



### Financial advice

Support doesn't have to end after a sale. We care to help you get the results for your project.

## **DuraMatt Medium Duty Access Mat**

Temporary cover and protection for limiting dirt and bogging during siteworks.

The DuraMatt Medium Duty Access Mat is lightweight, but heavy duty in nature, and flexible for an easy installation. It has a 'non-slip' top surface and is ideal for covering flat and solid surfaces or soft and sensitive ground.

## Sustainability







Store & Reuse



Protection

## **Specifications**

Size options	Width x Thickness	Lengths
Full size Half size	1230mm x 12mm 600mm x 12mm	2.45m 2.4m
Weight:	Full size 32Kg / Half size 17Kg	
Tolerances:	Suggested 10-15 tonnes Weight tested up to 20 tonnes (depending on ground conditions)	
Material:	100% recycled Low Density Polyethylene (LDPE) and 100% recyclable	
Colours:	Grey as standard Other colours also available (subject to minimum order quantity)	

Please contact us for specific sizes and your requirements, we can source alternative solutions and sizes.



#### On time

Feel assured with our process and scheduling techniques to deliver products as expected.



### **Great approach**

We are with you every step of the way with communication for a great level of service.



#### Made to measure

Accuracy is important, so we do our utmost to find right sized items to match the job's requirements.









## **EuroTrak Heavy Duty Access Mat**

Temporary heavy duty matting to provide short and long-term access solution over soft and sensitive ground.

The EuroTrak HD Access Mat is most commonly used to reduce disturbance and damage to the ground during the use of plant and machinery on a temporary access route or roadway.

## Sustainability







Long life

Store & Reuse

Withstand Temperatures

## Specifications

Size options	Width x Thickness	Lengths
Full size Half size	1200mm x 15mm 600mm x 15mm	2.4m 2.4m
Weight:	Full size 44Kg / Half size 22Kg	
Tolerances:	Suggested 60 tonnes Weight tested up to 120 tonnes (depending on ground conditions and when used with a sub-base)	
Material:	100% recycled High Density Polyethylene (HDPE) and 100% recyclable	
Colours:	Black	

Please contact us for specific sizes and your requirements, we can source alternative solutions and sizes.



## **Properly sourced**

Our timber supplies are only from sustainable and reputable UK and European sources.



#### No minimum order

Order the quantities you need, no matter what the product or your project size.



## **Expert team**

You can count on us! We have a fantastic customer service to demonstrate when you contact us.

## **Elite Grass Grid Ground Reinforcement**

Permanent and semi-permanent ground reinforcement for the stabilisation of earth banks.

The Elite Grass Grid is an eco-friendly solution that substantially improves soft or sensitive ground when being used for access, overflow parking or the stabilisation of embankments.

## **Types**







Type 1 Type 2

Type 3



## **Specifications**

Width x Thickness	Lengths
490mm x 40mm	490mm
Weight:	Type 1: 0.8Kg / Type 2: 1Kg / Type 3: 1.5Kg per grid 4.4 tiles per m <sup>2</sup>
Tolerances:	Type 1: 160 tonnes / Type 2: 240 tonnes / Type 3: 500 tonnes per m <sup>2</sup>
Material:	100% recycled material, which is also 100% recyclable
Colours:	Green/grey as standard (colours can slightly vary) Other colours available (subject to a minimum order quantity)

Please contact us with your requirements and check our website for other important information.



## Standard delivery

Near or far, we can offer delivery options to dispatch your products within 2 - 5 working days.



## Same & next day

We have our own vehicles and work closely with couriers to dispatch your items fast.



#### Collection

If you are near to our storage depot or want to travel to us, collect your items for free.










## Elite GP-Flex® Ground Stabilisation

A flexible grass protection mesh system for fast stabilisation and reinforcement.


Elite GP-Flex protects grassed areas against damage from pedestrian and vehicle use. Its unique method of extrusion is tested to BS 7976-2 with 33% improvement for slipresistance, in comparison to other meshes.

## **Types**



1Kg/m<sup>2</sup>









## **Specifications**

Width x Thickness	Lengths
1000mm / 2000mm x 9mm / 11mm / 13mm	10m / 20m
Weight:	1Kg / 1.4Kg / 1.8Kg per m <sup>2</sup> available in three grades for different purposes
Tolerances:	Recommended 8 tonnes (depending on ground conditions)
Material:	100% recycled High Density Polyethylene (HDPE) and 100% recyclable
Colours:	Green/brown

Please contact us for specific sizes and your requirements, we can source alternative solutions and sizes.







